

Amendments to the claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method of modulating production of an amyloidogenic peptide comprising contacting a cell which is expressing:
 - a) the precursor from which the amyloidogenic peptide is derived; and
 - b) a Nogo polypeptidewith a Nogo antagonist.
2. (Original) A method according to claim 1 wherein the precursor is APP.
3. (Currently Amended) A method according to claim 1 ~~or 2~~ wherein the amyloidogenic peptide is A β .
4. (Currently Amended) A method according to ~~any one of claims 1 to 3~~ claim 1 wherein the Nogo polypeptide is NogoA.
5. (Currently Amended) A method according to ~~any one of claims 1 to 4~~ claim 1 wherein the Nogo antagonist is a monoclonal antibody.
6. (Original) A method according to claim 5 wherein the monoclonal antibody is a function-blocking anti-NogoA monoclonal antibody.
7. (Currently Amended) ~~A method of Use of a Nogo antagonist in the manufacture of a medicament for the treatment or prophylaxis of a disease involving amyloidosis~~ comprising administering a Nogo antagonist to a human in need thereof.
8. (Currently Amended) The method Use according to claim 7 wherein the amyloidosis is precipitated by an amyloidogenic peptide derived from APP.
9. (Currently Amended) The method Use according to claim 8 wherein the amyloidogenic peptide is A β .
10. (Currently Amended) The method Use according to ~~any one of claims 7 to 9~~ wherein the disease is Alzheimer's disease.
11. (Currently Amended) The method Use according to ~~any one of claims 7 to 10~~ wherein the Nogo antagonist is a NogoA antagonist.

12. (Currently Amended) The method Use according to claim 11 wherein the NogoA antagonist is a monoclonal antibody.

13. (Currently Amended) The method Use according to claim 12 wherein the monoclonal antibody is a function-blocking anti-NogoA antibody.

14. (Currently Amended) The method Use according to claim 13 wherein the function-blocking anti-Nogo antibody is an antibody which binds to a region of human Nogo between 586 to 785 (NogoA amino acid numbering).

15. (Currently Amended) The method Use according to claim 12 wherein the anti-NogoA antibody comprises one or more of the following CDRs:

Light chain CDRs

CDR	According to Kabat
L1	RSSKSLLYKDGKTYLN (SEQ ID NO:1)
L2	LMSTRAS (SEQ ID NO:2)
L3	QQLVEYPLT (SEQ ID NO:3)

Heavy chain CDRs

CDR	According to Kabat
H1	SYWMH (SEQ ID NO:4)
H2	NINPSNGGTNYNEKFKS (SEQ ID NO:5)
H3	GQGY (SEQ ID NO:6)

16. (Currently Amended) The method Use according to claim 12 wherein the anti-NogoA antibody comprises one or more of the following CDRs:

Light chain CDRs

CDR	According to Kabat
L1	RSSQSLVHSNGNTYLH (SEQ ID NO:7)
L2	KVSNRFS (SEQ ID NO:8)
L3	SQSTHVPLT (SEQ ID NO:9)

Heavy chain CDRs

CDR	According to Kabat
H1	FSCYAMS (SEQ ID NO:10)
H2	SISDGGSYTYYPDNVKG (SEQ ID NO:11)
H3	ELLFDY (SEQ ID NO:12)

17. (Currently Amended) The method Use according to claim 12 wherein the anti-NogoA antibody comprises one or more of the following CDRs:

Light chain CDRs

CDR	According to Kabat
L1	RSSKSLHNSNGNTYLY (SEQ ID NO:13)
L2	RMSNLAS (SEQ ID NO:14)
L3	MQHLEYPLT (SEQ ID NO:15)

Heavy chain CDRs

CDR	According to Kabat
H1	SYWMN (SEQ ID NO:16)
H2	QIYPGDGDTNYNGKFKG (SEQ ID NO:17)
H3	RFDY (SEQ ID NO:18)

18. (Currently Amended) The method Use according to claim 12 wherein the monoclonal antibody is a humanised antibody.

19. (Currently Amended) A method of treatment or prophylaxis of Alzheimer's disease which comprises administering to said human in need thereof an effective amount of an anti-Nogo antibody of claim 15. ~~as defined in any one of claims 13 to 18.~~

20. (New) A method of treatment or prophylaxis of Alzheimer's disease which comprises administering to said human in need thereof an effective amount of an anti-Nogo antibody of claim 16.